



Jointed Companies



OFFICINA MECCANICA
FRAMAR
MACCHINE PER LA LAVORAZIONE DEL LEGNO - S.R.L.

ACM s.r.l.


42017 NOVELLARA (RE) - Via A. Einstein, 7 - Tel. +39.0522.652.259 / 661.284 - Fax +39.0522.653.433 - e-mail: acm@acmitaly.com - www.acmitaly.com



Jolly 45




Star 800



Mod.	Jolly 45
Ø (mm)	440
C (mm)	6÷30
D (mm)	410
H (mm)	280
	1,5 Hp
	3 max

Mod.	Star 320	Star 360	Star 400	Star 500	Star 600	Star 700	Star 800
Ø (mm)	320	360	400	500	600	700	800
C (mm)	6÷20	6÷25	3÷30	3÷30	6÷35	6÷45	8÷50
D (mm)	310	350	390	480	580	680	780
H (mm)	160	240	270	300	370	370	450
	0,75 Hp	1 Hp	1,5 Hp	2 Hp	3 Hp	4 Hp	5,5 Hp
	0,75 max	1 max	3 max	4 max	5,5 max	5,5 max	10 max




Mod.	BS 540	BS 640	BS 740	BS 840	BS 940
Ø (mm)	540	640	740	840	940
C (mm)	3÷35	6÷35	6÷45	8÷50	8÷55
D (mm)	520	620	720	820	910
H (mm)	350	400	450	520	560
	2 Hp	3 Hp	4 Hp	5,5 Hp	7,5 Hp
	4 max	5,5 max	7,5 max	10 max	12,5 max




BS 940 RS





BS 940 RS
Special





Mod.	SPECIAL				
	BS 740 RS 3"	BS 940 RS 3"	BS 940 RS 3" Special	BS 940 RS 4" Manual	BS 940 4" Hydraulic
Ø (mm)	740	940	940	940	940
C (mm)	50÷80	55÷90	55÷90	60÷110	60÷110
D (mm)	710	910	670	670	670
H (mm)	450	600	600	600	600
	12,5 Hp	15 Hp	15 Hp	20 Hp	20 Hp
	15 max	20 max	20 max	30 max	30 max


RAC 235


RA 200 CPM

**GP/M
GP/EL**

RA 15-21-21CP-260CPM



Mod.	RA 15	RA 21	RA 21 CP	RA 200 CPM	RA 260 CPM	RAC 235
	2,5/4/5/7/8/12,5/14/25	2,5/4/5/7/8/12,5/14/20/25/40	2,5/4/5/7/8/12,5/14/20/25/40	3÷30	3÷30	3÷30
			 3÷6 bar	 3÷6 bar	 3÷6 bar	 3÷6 bar
H (mm)	235	235	235	130	235	180
HS (mm)	160	160	160	160	160	200
D1 (mm)	200	200	200	190	200	120
D2 (mm)	200	200	200	200	200	120
	0,4-0,7 Hp	0,4-0,7 Hp	0,4-0,7 Hp	0,5 Hp	0,7 Hp	0,5 Hp
	No CE	No CE	CE	CE	CE	CE




Summa 740



Mod.	Summa 740 2" 1500	Summa 740 2" 3200	Summa 740 3" 1500	Summa 70 3" 3200
Ø (mm)	740	740	740	740
C (mm)	12÷45	12÷45	50÷80	50÷80
D (mm)	710	710	710	710
H (mm)	500	500	500	500
G (mm)	1500	3200	1500	3200
	7,5 Hp	7,5 Hp	10 Hp	10 Hp
	10 max	10 max	12,5 max	12,5 max




Prisma 740





Mod.	PRISMA 740
Ø (mm)	740
C (mm)	60÷80
E (mm)	min 70/max 350
F (mm)	70
G (mm)	380
L (mm)	1000
 ml/min	1÷18
	2 x 12,5 Hp



HBS 2WD-4WD




Mod.	HSB 2WD	HSB 4WD
Ø (mm)	740	740
C (mm)	80	80
G (mm)	300 max	300 max
H (mm)	300 max	300 max
S1 (mm)	min 5/max 290	min 5/max 150
S2 (mm)		min 10/max 290
(mt/min)	1÷20	1÷20
	2 x 15 Hp	2 x 15 Hp



Mod.	R 300	R 600	R 1200
H (mm)	300	300	300
D (mm)	300	600	1200
 (rpm)	1÷15	1÷15	1÷15
	2 x 3 Hp	2 x 5,5 Hp	2 x 7,5 Hp
 max	2 x 5,5 Hp	2 x 9 Hp	2 x 10 Hp



Jolly 225




Mod.	JOLLY 225
H (mm)	150
L (mm)	800
	2 Hp




OBS 150

OBS 150 Mono

OBS 150 Arco

OBS 200


Mod.	OBS 150	OBS 150 arco	OBS 150 mono	OBS 200
H (mm)	150 max	150 max	150 max	200 max
 mt/min	8/11,5	8/11,5	8/11,5	8/11,5
	2,5/3,5 Hp	2,5/3,5 Hp	2,5/3,5 Hp	2,5/3,5 Hp



Plexi



Miniplexi



Mod.	MINI PLEXI	PLEXI
H (mm)	40	60
	0,4-2,5	0,4-2,5
	1 Hp	1,5 Hp